

TEST REPORT



Report No: (7424)334-0186B

Dec 10, 2024

Page 2 of 2

TEST RESULTS

No.	Parameters	Results	Unit	Test Method
1	Iodine value	7.5	-	SLS 313 Part 2 Section 2: 2019 / ISO 3961:2018
2	Free fatty Acid (as Lauric acid)	0.06	per cent by mass	SLS 313: Part 2 Section 6:2022 / ISO 660:2020
3	Peroxide Value	ND (LOQ=0.05)	meq/kg	SLS 313 Part 3 Section 7 : 2017/ ISO 3960 : 2017
4	Yeast and Mould	<10	cfu/mL	ISO 21527-2:2008 SLS 516 Part 2 Section 2: 2013
5	Moisture Content	0.09	per cent by mass	SLS 313: Part 3:Section 5: 2016/ ISO 662:2016

NOTE:

ND – Not Detected

LOQ- Limit of Quantification

meq/kg –milliequivalents of active oxygen per kg

cfu/mL– Colony Forming Units Per milliliter

In Yeast & Mould <10 means 10⁰ dilution contains no colonies


Contact information for this report (Technical and General Inquiries and Feedback)

GENERAL INQUIRIES:		
ASHINI UDUGAMA	TEL: +94 740 385 038	E-MAIL: ashini.udugama@bureauveritas.com
TECHNICAL INQUIRIES:		
RUWANI AMARASINGHE	TEL: +94 768 229 457	E-MAIL: ruwani.amarasinghe@bureauveritas.com
FEED BACK:		
DALUKA DE SILVA– QUALITY ASSURANCE	TEL: +94 768 229 505	E-MAIL: daluka.desilva@bureauveritas.com

REVIEWED BY: DILINI JAYALATH

BUREAU VERITAS CONSUMER PRODUCTS SERVICES LANKA (PVT) LTD.
AUTHORIZED SIGNATORY

APPROVED BY:



RUWANI AMARASINGHE
DEPUTY MANAGER -
FOOD & MICROBIOLOGY LABORATORY

END OF THE REPORT.