

# TEST REPORT



Report No: (7424)318-0475E

Nov 22, 2024

Page 2 of 2

## TEST RESULTS

No.	Parameters	Results	Unit	Test Method
1	Iodine value	15.6		SLS 313 Part 2 Section 2:2019/ ISO 3961:2018
2	Free fatty Acid (as Lauric acid)	0.73	per cent by mass	SLS 313: Part 2 Section 6:2022/ ISO 660:2020
3	Peroxide Value	ND (LOQ=0.05)	meq/kg	SLS 313 Part 3 Section 7 : 2017/ ISO 3960 : 2017
4	Moisture Content	0.12	per cent by mass	SLS 313: Part 3 : Section 5:2016/ ISO 662 : 2016

**NOTE:**


meq/kg – milliequivalents of active oxygen per kg,  
ND : Not Detected  
LOQ: Limit of Quantification,

**Contact information for this report (Technical and General Inquiries and Feedback)**

<b>GENERAL INQUIRIES:</b>		
ASHINI UDUGAMA	TEL: +94 740 385 038	E-MAIL: ashini.udugama@bureauveritas.com
<b>TECHNICAL INQUIRIES:</b>		
RUWANI AMARASINGHE	TEL: +94 768 229 457	E-MAIL: ruwani.amarasinghe@bureauveritas.com
<b>FEED BACK:</b>		
DALUKA DE SILVA – QUALITY ASSURANCE	TEL: +94 768 229 505	E-MAIL: daluka.desilva@bureauveritas.com

REVIEWED BY: MALSHANI WIJETHUNGA

BUREAU VERITAS CONSUMER PRODUCTS SERVICES LANKA (PVT) LTD.  
AUTHORIZED SIGNATORY



APPROVED BY: \_\_\_\_\_  
RUWANI AMARASINGHE  
DEPUTY MANAGER -  
FOOD & MICROBIOLOGY LABORATORY

END OF THE REPORT.

The content of this PDF file is in accordance with the original issued reports for reference only.

This Test Report cannot be reproduced, except in full, without prior written permission of the company.